

IEEE Xplore® RELEASE 2.0

Welcome United States Patent and Trademark Office

BROWSE SEARCH IEEE XPLORER GUIDE SUPPORT

Thu, 7 Apr 2005, 8:56:15 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

| | Query | Count |
|-----|---|-------|
| #1 | ((ddns)<in>metadata) | 4 |
| #2 | (DDNS<IN>metadata) | 4 |
| #3 | (Dynamic DNS<IN>metadata) | 4 |
| #4 | (dns<in>metadata) | 156 |
| #5 | (ddns<in>metadata) | 4 |
| #6 | (dhcp<in>metadata) | 32 |
| #7 | (dhcp<in>metadata) | 32 |
| #8 | ((dynamic <sentence> dns)<in>metadata) | 16 |
| #9 | ((dynamic <sentence> sharing <sentence> ip <sentence> address)<in>metadata) | 1 |
| #10 | ((sharing <sentence> ip <sentence> address)<in>metadata) | 7 |
| #11 | ((dhcp <sentence> (dns <or> ddns))<in>metadata) | 3 |
| #12 | ((dns <paragraph> dhcp <paragraph> ip <paragraph> address)<in>metadata) | 0 |
| #13 | ((dns <paragraph> sharing <paragraph> ip <paragraph> address)<in>metadata) | 3 |
| #14 | ((wins <paragraph> dns)<in>metadata) | 0 |

#15 ((wins <paragraph> dhcp)<in>metadata) 0
#16 ((dhcp <paragraph> ip <paragraph> address)<in>metadata) 14
#17 ((nat <sentence> (dns <or> ddns))<in>metadata) 5
#18 ((nat <paragraph> sharing <paragraph> ip <paragraph> address)<in>metadata) 1
[REDACTED]

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|--|------------------|---------|---------------------|
| L16 | 6 | 13 AND 15 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 19:29 |
| L15 | 659 | (dynamic NEAR DNS)OR DDNS | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 19:29 |
| L14 | 4 | 12 AND 13 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 19:29 |
| S13 7 | 48 | shar\$3 IP address (plural\$3 OR multipl\$5)server | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 19:28 |
| L13 | 48 | shar\$3 IP address (plural\$3 OR multipl\$5)server | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 19:28 |
| L12 | 6681 | (709/226-229).CCLS. | US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/04/07 19:27 |
| L1 | 6 | ("6052725") or ("6233616") or ("5812819").PN. | USPAT; DERWENT ; IBM_TDB | OR | OFF | 2005/04/07 18:53 |
| S14 4 | 2 | ("6381650").PN. | US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/04/07 18:52 |
| S14 3 | 11 | DHCP request IP address dynamic\$5 leas\$3 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 17:47 |

| | | | | | | |
|----------|------|---|--|------|----|---------------------|
| S14 2 | 126 | DHCP.ti. | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 17:35 |
| S14 1 | 16 | S140 AND (expir\$3 WITH (time OR (time NEAR3 live))) AND connection | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 15:56 |
| S14 0 | 119 | dynamic\$4 (shar\$3 OR allocat\$3) IP address (plural\$3 OR multipl\$5) server | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 15:54 |
| S13 8 | 17 | dynamic\$4 (shar\$3 OR allocat\$3) IP address (plural\$3 OR multipl\$5)server | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/07 15:54 |
| S13 6 | 31 | S133 AND S135 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 07:24 |
| S13 5 | 8118 | (DNS OR manager OR controller) SAME IP SAME address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 07:24 |
| S13 4 | 2 | S133 SAME (DNS OR manager OR controller) SAME IP SAME address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 07:24 |
| S13 3 | 372 | (determin\$3 OR check\$3 OR examin\$3) SAME (continual OR constant OR persistent) SAME (connection OR session OR communication OR link OR bond) SAME(client OR user OR (client NEAR2 (network OR machine OR terminal OR system))) SAME (server OR (web NEAR2 (server OR host))) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/07 07:18 |

| | | | | | | |
|----------|------|--|---|------|----|---------------------|
| S13 2 | 9 | (manager OR controller OR arbitrator OR DNS OR (name NEAR2 (server OR resolv\$3))) (connected OR coupled)(plurality OR multiplicity OR array OR multiple OR several OR (at\$1least NEAR2 two))server (shar\$3 WITH IP WITH address) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:18 |
| S13 0 | 6191 | (manager OR controller OR arbitrator OR DNS OR (name NEAR2 (server OR resolv\$3))) (connected OR coupled)(plurality OR multiplicity OR array OR multiple OR several OR (at\$1least NEAR2 two))server | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:17 |
| S13 1 | 11 | S123 AND S130 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:11 |
| S12 9 | 4813 | (manager OR controller OR arbitrator) (connected OR coupled)(plurality OR multiplicity OR multiple OR (at\$1least NEAR2 two))server | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:11 |
| S12 8 | 6 | S126 AND (shar\$3 WITH IP WITH address) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:06 |
| S12 6 | 15 | S123 AND S125 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:03 |
| S12 5 | 6722 | (manager OR DNS OR (name NEAR2 server))(plurality OR multipl\$5) server | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:03 |
| S12 1 | 78 | (manager OR DNS OR (name NEAR2 server))shar\$3 IP address (plurality OR multipl\$5) server | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 19:02 |

| | | | | | | |
|----------|-----|---|--|------|----|---------------------|
| S12 4 | 5 | S121 AND S123 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/04/06 18:59 |
| S12 3 | 31 | receiv\$3 request IP address (associat\$3 OR relat\$3 OR point\$3)(domain NEAR2 name) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/06 18:59 |
| S12 2 | 5 | (manager OR DNS OR (name NEAR2 server))shar\$3 IP address (plurality OR multipl\$5) server | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/04/06 18:56 |
| S12 0 | 15 | S119 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/10 18:16 |
| S11 9 | 23 | S111 SAME (sharing OR allocating) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 18:16 |
| S11 8 | 9 | S117 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/10 18:16 |
| S11 2 | 10 | S111 SAME sharing | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 18:16 |
| S11 7 | 28 | DDNS SAME (domain ADj name)SAME (IP:ADJ.address) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 18:12 |
| S36 | 106 | S35 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/10 18:12 |

| | | | | | | |
|----------|------|---|--|------|----|---------------------|
| S11 5 | 65 | DDNS WITH dynamic\$5 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 18:10 |
| S11 4 | 29 | sharing IP address dynamic\$5 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 18:10 |
| S10 9 | 13 | sharing IP address dynamic\$5 (server OR host OR (domain ADJ name)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 18:07 |
| S11 1 | 1824 | (name\$1server OR DNS OR DDNS OR (dynamic ADJ DNS)) (domain NEAR2 name) IP address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 17:05 |
| S11 0 | 6 | name\$1server domain name. IP address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/10 17:03 |
| S10 8 | 4 | DNS AND S105 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/09 17:05 |
| S10 5 | 23 | cluster server sharing IP | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/09 17:04 |
| S10 0 | 210 | sharing NEAR4 IP NEAR3 address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/09 16:54 |
| S97 | 1 | S94 AND (pool NEAR4 IP NEAR2 address) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/09 16:53 |

| | | | | | | |
|-----|-----|---|--|------|----|---------------------|
| S94 | 42 | S93 WITH (domain ADJ name) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/09 16:17 |
| S93 | 484 | DDNS | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/09 16:16 |
| S92 | 19 | S91 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:48 |
| S91 | 23 | S90 AND (DNS SAME (domain NEAR2 name)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:48 |
| S81 | 25 | S80 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:48 |
| S90 | 71 | dynamic\$3 WITH shar\$3 WITH IP WITH address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:46 |
| S89 | 4 | S88 AND (dynamic\$5 WITH sharing) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:44 |
| S88 | 22 | S87 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:28 |
| S87 | 57 | S86 SAME IP SAME address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/08 17:25 |

| | | | | | | |
|-----|-----|--|--|------|----|---------------------|
| S86 | 459 | DDNS | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/08 17:25 |
| S85 | 9 | S84 and (DOMAIN neaR2 NAME) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/08 17:25 |
| S84 | 16 | SHARING IP ADDRESS DNS | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/08 17:08 |
| S83 | 23 | (farm OR cluster)WITH server WITH (shar\$3 OR leas\$3)WITH IP WITH address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 17:07 |
| S82 | 6 | S81 AND ((leas\$3 OR expir\$3) WITH IP WITH address) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:37 |
| S73 | 25 | S72 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:29 |
| S80 | 42 | S74 AND S79 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:28 |
| S79 | 172 | S77 SAME (domain NEAR name) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:28 |
| S78 | 229 | S77 AND (domain NEAR name) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:28 |

| | | | | | | |
|-----|-------|---|--|------|-----|---------------------|
| S77 | 296 | DNS WITH dynamic WITH IP | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:28 |
| S76 | 1 | DNSCM | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:27 |
| S75 | 6 | S73 AND S74 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:27 |
| S74 | 11914 | (709/203,220,226,227,228, 229).CCLS. | US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/02/08 16:19 |
| S28 | 11899 | (709/203,220,226,227,228, 229).CCLS. | US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/02/08 16:19 |
| S72 | 37 | (assign\$3 OR allocat\$3 OR leas\$3) SAME (temp OR temporary OR non\$1permanent) SAME (IP NEAR4 address) SAME ((domain NEAR2 name) OR (web NEAR2 (host OR server)) OR (host NEAr2 name)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:18 |
| S67 | 24 | S66 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:18 |
| S71 | 6 | (assign\$3 OR allocat\$3 OR leas\$3) WITH (temp OR temporary OR non\$1permanent) WITH (IP NEAR4 address) WITH ((domain NEAR2 name) OR (web NEAR2 (host OR server)) OR (host NEAr2 name)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 16:17 |

| | | | | | | |
|-----|-----|--|---|------|----|---------------------|
| S70 | 23 | S69 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 14:17 |
| S69 | 45 | S68 SAME (pool OR table) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 14:17 |
| S68 | 196 | IP WITH address WITH expir\$5 WITH time | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 14:16 |
| S64 | 23 | S63 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 13:18 |
| S66 | 42 | dynamic\$5 map\$4 (domain OR (domain ADJ name)) IP address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/08 13:17 |
| S53 | 330 | DNS DHCP host | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/08 13:16 |
| S65 | 2 | S64 AND (pool NEAR4 IP) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 10:29 |
| S61 | 48 | S60 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 10:09 |
| S63 | 35 | dynamic\$5 shar\$3 IP address DNS | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 10:08 |

| | | | | | | |
|-----|------|---|---|------|----|------------------|
| S60 | 75 | S59 SAME (domain NEAR2 name) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 09:48 |
| S59 | 190 | wins SAME DNS | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 09:48 |
| S1 | 3496 | DHCP | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/08 09:47 |
| S58 | 8 | S56 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 16:50 |
| S56 | 8 | S55 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 16:50 |
| S57 | 27 | dynamic\$5 WITH map\$3 WITH IP WITH address WITH domain | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 16:49 |
| S55 | 15 | S54.ab. | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/07 15:49 |
| S54 | 267 | DNS DHCP host domain | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/07 15:49 |
| S45 | 185 | S44 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:49 |

| | | | | | | |
|-----|-----|---|---|------|----|---------------------|
| S52 | 19 | S51 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:48 |
| S31 | 13 | sharing WITH pool WITH IP WITH address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:29 |
| S51 | 25 | S50 SAME expir\$5 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:21 |
| S50 | 260 | S49 SAME DNS | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:10 |
| S49 | 442 | map\$4 WITH domain WITH IP | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:10 |
| S48 | 13 | S46 AND ((domain NEAR2, name)WITH assign\$5) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 15:09 |
| S47 | 43 | S46 AND (domain NEAR2 name) | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:32 |
| S46 | 48 | S28 AND S45 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:31 |
| S43 | 47 | S42 AND @ad<"20020228" | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:31 |

| | | | | | | |
|-----|-----|--|--|------|----|------------------|
| S44 | 305 | DNS WITH dynamic\$5 WITH IP WITH address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:30 |
| S42 | 56 | S28 AND S40 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:13 |
| S40 | 194 | map\$4 WITH (domain NEAR2 name)WITH (host OR server)WITH IP WITH address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:13 |
| S41 | 7 | S40 SAME shar\$3 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:10 |
| S39 | 15 | S37 AND S38 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 14:08 |
| S38 | 600 | pool WITH IP WITH address | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 13:26 |
| S37 | 40 | S36 AND expir\$5 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 13:26 |
| S35 | 153 | S28 AND S34 | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 13:24 |
| S34 | 788 | S33 SAME hosts | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 13:24 |

| | | | | | | |
|-----|-------|---|--|------|-----|------------------|
| S33 | 1164 | ((allocat\$3 OR assign\$3)NEAR2 IP)WITH address)SAME DHCP | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 13:24 |
| S30 | 4 | sharing WITH pool WITH IP WITH server | US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 13:22 |
| S32 | 1 | "6219708".PN. | USPAT; USOCR | SAME | ON | 2005/02/07 12:44 |
| S29 | 17 | S27 AND S28 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 12:30 |
| S7 | 11899 | (709/203,220,226,227,228, 229).CCLS. | US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/02/07 11:32 |
| S27 | 113 | ((The Internet Corporation for Assigned Names and Numbers) OR (ICANN)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | WITH | ON | 2005/02/07 11:31 |
| S26 | 6 | S20 AND S25 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:53 |
| S25 | 74 | S19 AND S24 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:53 |
| S24 | 638 | request WITH IP WITH address WITH (domain OR (domain ADJ name)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:52 |
| S18 | 2108 | (host OR server OR (web ADJ server)OR ((web NEAR (page OR site)) ADJ server))SAME IP SAME (allocat\$3 OR assign\$5) SAME dynamic\$5 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:51 |

| | | | | | | |
|-----|-------|--|--|------|-----|---------------------|
| S23 | 4 | S21 AND S22 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:45 |
| S22 | 103 | shar\$3 WITH IP WITH (domain OR (domain ADJ name)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:45 |
| S21 | 246 | S19 AND S20 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:44 |
| S20 | 11899 | (709/203,220,226,227,228, 229).CCLS. | US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/02/07 09:43 |
| S19 | 1265 | S18 SAME DHCP | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/07 09:43 |
| S17 | 14 | (shar\$3 WITH IP WITH address) SAME (among NEAR3 server) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:59 |
| S16 | 4 | (shar\$3 WITH IP WITH limited WITH address) AND (among NEAR3 server) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:58 |
| S13 | 34 | shar\$3 WITH IP WITH limited WITH address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:56 |
| S14 | 13 | S13 SAME server | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:34 |

| | | | | | | |
|-----|-------|---|--|------|----|---------------------|
| S12 | 26 | S11 AND S2 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:31 |
| S11 | 73 | S10 AND S3 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:17 |
| S10 | 547 | S1 AND S7 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:17 |
| S9 | 4 | S4 AND S8 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:16 |
| S8 | 100 | S6 AND S7 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:15 |
| S4 | 2627 | leas\$3 WITH IP WITH address | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:15 |
| S6 | 1451 | dynamic\$5 NEAR3 resource NEAR3 allocat\$5 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | AND | ON | 2005/02/04 16:13 |
| S5 | 24 | S1 S2 S3 S4 | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | AND | ON | 2005/02/04 16:11 |
| S3 | 34371 | expir\$6 NEAR3 time | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:04 |

| | | | | | | |
|----|--------|---------------------------|--|------|----|---------------------|
| S2 | 351786 | predetermin\$3 NEAR2 time | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | SAME | ON | 2005/02/04 16:04 |
|----|--------|---------------------------|--|------|----|---------------------|